

Epoca Square | HL - High foam

ege

Produkt beskrivelse



Epoca Square | HL - High foam



Produkt beskrivelse



BESKRIVELSE	METHODE	DATA
KONSTRUKTION		
STRUKTUR	ISO 2424	Tuftet loop pile
GAUGE	ISO 2424	1/8
LUVMATERIALE	DIR 96/73, 96/74	100% polyamid
FARVEMETODE	-	Continue farvet
BAGSIDE	ETL	HL - High foam
DIMENSIONER	ISO 3018	Approx. 400/500 cm
TOTALHØJDE	ETL	Ca. 9,5 mm.
SLIDLAG	ETL	Ca. 3,0 mm.
NOPPEANTAL	ETL	Ca. 50.000 pr.m2
TOTALVÆGT	ISO 8543	Ca. 2.725 g/m2
LUVINDSATSVÆGT	ETL	825 g/m2
LUVMASSE	ISO 8543.	Ca. 360 g/m2
LUVDENSITET	ISO 8543.	Ca. 0,120 g/cm3
EGNETHEDSPRØVNINGER		
BRUGSOMRÅDER	ETL	23 - Bolig - Kraftig brug
GARANTI	ETL	Garanti mod gennemslid 10 år
TRAPPEEGNET	ETL	Ja, til bolig
ANTISTATISKE EGENSKABER	ETL	Permanent antistatisk
PERSONOPLADNING	ISO 6356	Antistatisk
TRINLYDSDÆMPNING	ETL	34 dB
ISOLERINGSEVNE	ETL	Ca. 0,16 m2K/W
LYSÆGTHED	ISO 105-B02	>5
GNIDEÆGTHED VÅD	ISO 105-X12	>3
GNIDEÆGTHED TØR	ISO 105-X12	>3-4
VANDÆGTHED MØNSTREDE/MELEREDE	ISO 105-E01	>4
SIKKERHED & MILJØ		
BRANDKLASSIFIKATION	EN 14041	Efl
	BS EN 14041	Efl
CE MÆRKNING	EN 14041	Certificeret
	Ydeevnedeklaration	DOP E
	Notified body no.	NA
	Ce Year	22
	Content of PCP	DL
	Formaldehyde emission	NA
	Skridsikkerhed	Class DS

Epoca Square | HL - High foam



Produkt beskrivelse

BESKRIVELSE

METHODE

DATA

VEJLEDNINGER

MONTERING, INKL. LIMGUIDE

DK

Dansk

N

Norsk

S

Svensk

GB

English

D

Deutsch

F

Français

RENGØRING, PLETFJERNING

DK

Dansk

N

Norsk

S

Svensk

GB

English

D

Deutsch

F

Français

PRODUCENT

FABRIKSCERTIFICERING

ISO 9001

Audited and verified by BVC

ISO 14001

Audited and verified by BVC

ISO 45001

Audited and verified by BVC

DS 49001

Audited and verified by BVC

CRuk

Member of Carpet Recycling UK