

Natura Tweed | HL - High foam

ege

Produkt beskrivelse



Natura Tweed | HL - High foam



Produkt beskrivelse



BESKRIVELSE	METHODE	DATA
KONSTRUKTION		
STRUKTUR	ISO 2424	Tuftet loop pile
GAUGE	ISO 2424	5/32
LUVMATERIALE	DIR 96/73, 96/74	100% uld
FARVEMETODE	-	Fiberfarvet
BAGSIDE	ETL	HL - High foam
DIMENSIONER	ISO 3018	Approx. 400/500 cm
TOTALHØJDE	ETL	Ca. 11,0 mm.
SLIDLAG	ETL	Ca. 4,0 mm.
NOPPEANTAL	ETL	Ca. 78.125 pr.m2
TOTALVÆGT	ETL	Ca. 3.200 g/m2
LUVINDSATSVÆGT	ETL	1.080 g/m2
LUVMASSE	ETL	Ca. 663 g/m2
LUVDENSITET	ETL	Ca. 0,155 g/cm3
BIOCIDAL TREATMENT	Biocidal Product Regulation	Contains preservative to control microbiological deterioration
.	.	.
EGNETHEDSPRØVNINGER		
BRUGSOMRÅDER	ETL	23 - Bolig - Kraftig brug
GARANTI	ETL	Garanti mod gennemslid 5 år
TRAPPEEGNET	ETL	Ja
ANTISTATISKE EGENSKABER	ETL	Permanent antistatisk
PERSONOPLADNING	ISO 6356	Antistatisk
TRINLYDSDÆMPNING	ETL	36 dB
ISOLERINGSEVNE	ETL	Ca. 0,19 m2K/W
LYSÆGTHED	ISO 105-B02	>4
GNIDEÆGTHED VÅD	ISO 105-X12	>3
GNIDEÆGTHED TØR	ISO 105-X12	>3-4
VANDÆGTHED ENSFARVEDE	ISO 105-E01	>3-4
SIKKERHED & MILJØ		
BRANDKLASSIFIKATION	EN 14041	Efl
	BS EN 14041	Efl
CE MÆRKNING	EN 14041	Certificeret
	Ydeevnedeklaration	DOP E
	Notified body no.	NA
	Ce Year	13
	Content of PCP	DL
	Formaldehyde emission	NA
	Skriftsikkerhed	Class DS

Natura Tweed | HL - High foam



Produkt beskrivelse

BESKRIVELSE

METHODE

DATA

VEJLEDNINGER

MONTERING, INKL. LIMGUIDE

DK

Dansk

N

Norsk

S

Svensk

GB

English

D

Deutsch

F

Francais

RENGØRING, PLETFJERNING

DK

Dansk

N

Norsk

S

Svensk

GB

English

D

Deutsch

F

Francais

PRODUCENT

FABRIKSCERTIFICERING

ISO 9001

Audited and verified by BVC

ISO 14001

Audited and verified by BVC

ISO 45001

Audited and verified by BVC

DS 49001

Audited and verified by BVC

CRuk

Member of Carpet Recycling UK