

Sisal Boucle | NL - Naturlatex

ege

Produkt beskrivelse



Produkt beskrivelse



BESKRIVELSE	METHODE	DATA
KONSTRUKTION		
STRUKTUR	ISO 2424	Vævet loop pile
LUVMATERIALE	DIR 96/73, 96/74	100% sisal
FARVEMETODE	-	Produktionsfarvet
BAGSIDE	ETL	NL - Naturlatex
TOTALHØJDE	ETL	Ca. 7,0 mm.
TOTALVÆGT	ISO 8543	Ca. 3.225 g/m ²
LUVINDSATSVÆGT	ETL	2.000 g/m ²
SOIL PROTECTION	ETL	Nej
EGNETHEDSPRØVNINGER		
BRUGSOMRÅDER	EN 1307	22 - Bolig - Moderat brug
GARANTI	ETL	Garanti mod gennemslid 5 år
ANTISTATISKE EGENSKABER	ETL	Permanent antistatisk
TRINLYDSDÆMPNING	ETL	22 dB
AKUSTISK ABSORPTION	ETL	0,20 aW
ISOLERINGSEVNE	ETL	Ca. 0,12 m ² K/W
SIKKERHED & MILJØ		
BRANDKLASSIFIKATION	EN 13501-1 Euroclass	Cfl-s1
CE MÆRKNING	EN 14041	Certificeret
	Ydeevnedeklaration	DOP Sisal_NL
	Notified body no.	NA
	Ce Year	21
	Content of PCP	DL
	Formaldehyde emission	NA
	Skridsikkerhed	Class DS
VEJLEDNINGER		
MONTERING, INKL. LIMGUIDE	DK	Dansk
	N	Norsk
	S	Svensk
	GB	English
	D	Deutsch
	F	Francais
RENGØRING, PLETFJERNING	DK	Dansk
	N	Norsk

Produkt beskrivelse

BESKRIVELSE	METHODE	DATA
	S	Svensk
	GB	English
	D	Deutsch
	F	Francais

PRODUCENT

FABRIKSCERTIFICERING	ISO 9001	Audited and verified by BVC
	ISO 14001	Audited and verified by BVC
	ISO 45001	Audited and verified by BVC
	DS 49001	Audited and verified by BVC
	CRuk	Member of Carpet Recycling UK