

Soft Dreams Lux | ECC - Eco Comfort

ege

Produkt beskrivelse



Soft Dreams Lux | ECC - Eco Comfort



Produkt beskrivelse



BESKRIVELSE	METHODE	DATA
KONSTRUKTION		
STRUKTUR	ISO 2424	Tuftet cut pile
GAUGE	ISO 2424	5/32
LUVMATERIALE	DIR 96/73, 96/74	100% polyamid
FARVEMETODE	-	Continue farvet
BAGSIDE	ETL	CF - Comfort felt
DIMENSIONER	ISO 3018	Approx. 400 cm
TOTALHØJDE	ISO 1765	Ca. 16,0 mm.
NOPPEANTAL	ISO 1763	Ca. 48.000 pr.m2
TOTALVÆGT	ISO 8543	Ca. 3.650 g/m2
LUVINDSATSVÆGT	ETL	2.200 g/m2
LUVDENSITET	ISO 8543.	Ca. 0,150 g/cm3
EGNETHEDSPRØVNINGER		
BRUGSOMRÅDER	ETL	22 - Bolig - Moderat brug
GARANTI	ETL	Garanti mod gennemslid 5 år
ANTISTATISKE EGENSKABER	ETL	Permanent antistatisk
TRINLYDSDÆMPNING	ETL	35 dB
AKUSTISK ABSORPTION	ETL	0,25 aW
SIKKERHED & MILJØ		
BRANDKLASSIFIKATION	EN 14041	Efl
	BS EN 14041	Efl
CE MÆRKNING	EN 14041	Certificeret
	Ydeevnedeklaration	DOP E
	Notified body no.	NA
	Ce Year	17
	Content of PCP	DL
	Formaldehyde emission	NA
	Skridsikkerhed	Class DS
INDEKLIMA	Indoor Air Comfort Gold	Group 7
VEJLEDNINGER		
MONTERING, INKL. LIMGUIDE	DK	Dansk
	N	Norsk
	S	Svensk
	GB	English
	n	Deutsch

Soft Dreams Lux | ECC - Eco Comfort



Produkt beskrivelse

BESKRIVELSE	METHODE	DATA
RENGØRING, PLETFJERNING	F	Francais
	DK	Dansk
	N	Norsk
	S	Svensk
	GB	English
	D	Deutsch
	F	Francais
<hr/>		
PRODUCENT		
FABRIKSCERTIFICERING	ISO 9001	Audited and verified by BVC
	ISO 14001	Audited and verified by BVC
	ISO 45001	Audited and verified by BVC
	DS 49001	Audited and verified by BVC
	CRuk	Member of Carpet Recycling UK